

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48631	((storage adj1 area adj1 network) or SAN or iscsi\$) same (congest\$5 or (sliding adj1 window))) and (@ad<"20040130") or (@rlad<"20040130") and ("709" or "370" or "714" or "711" or "707" or "370").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 18:21
L2	110	((storage adj1 area adj1 network) or SAN or iscsi\$) same (congest\$5 or (sliding adj1 window))) and (@ad<"20040130" or @rlad<"20040130") and ("709" or "370" or "714" or "711" or "707" or "370").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 18:30
L3	60	((backup or redundant) near3 (link channel connection)) with efficient\$4) and (@ad<"20040130" or @rlad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 18:29
L4	51	(rout\$3 same (load adj1 balanc\$3) same (weight\$3 or ratio)) and (@ad<"20040130" or @rlad<"20040130") and ("709" or "370" or "714").clas. and (congest\$5 or (sliding adj1 window))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 18:25
L5	13	(rout\$3 same (load adj1 balanc\$3) same (ratio)) and (@ad<"20040130" or @rlad<"20040130") and ("709" or "370" or "714").clas. and (congest\$5 or (sliding adj1 window))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 18:26